

## **CHAPTER 5**

### **IMPROVEMENTS**

# **DRAFT**

#### **SECTIONS:**

- 11-5-1: Sewer Proposals And Construction Plans
- 11-5-2: Storm Drainage
- 11-5-3: Street Improvements
- 11-5-4: Fire Flow And Line Size Standards
- 11-5-5: Water
- 11-5-6: Electrical System And Telephone
- 11-5-7: Fences And Guards
- 11-5-8: Natural Gas Systems

#### **11-5-1: SEWER PROPOSAL AND CONSTRUCTION PLANS:**

The Washington County Water Conservancy District (WCWCD) and Ashcreek Special Sewer District (ACSSD) are the service providers for wastewater systems in Washington County unincorporated areas. The Districts will establish construction standards and give approvals on all new sewer systems. The Washington County Public Works Department may review new sewer systems within public right-of-ways, and require additional standards, if applicable. Maps showing District boundaries are available at the Washington County Public Works Department.

Any Sewer proposal for community systems or systems over 5,000 gallons per day must be reviewed and approved by the Utah State Department of Environmental Quality (DEQ). Septic permits for wastewater, packed bed media systems, or other approved systems must be reviewed and approved by the Southwest Utah Public Health Department (SWUPHD).